

Turnbuckles


Stock No.	Size in Inches		Head H	Body Length L	Approx. Wt. Per 100 Pcs.	Rated Capacity
	Thread Dia. T	Take-Up O				
SS10612	3/8	x 6	9/16	7 1/8	33.0	1,200
SS10616	1/2	x 6	3/4	7 1/2	56.0	2,200
SS10628	5/8	x 6	7/8	7 3/4	85.0	3,500
SS10640	3/4	x 6	1 1/16	8 1/8	140.0	5,200

All stainless electropolished.

For sizes 1" - 2 1/2" call for price and availability.

Stainless Steel Turnbuckle Bodies

- Forged
- 304 & 316 Stainless Steel




Stock No.	Size in Inches		Head H	Average Overall Length Closed L	Approx. Wt. Per 100 Pcs.	Rated Capacity
	Stub Dia. D	Take-Up O				
10504	1/4	x 4	7/16	9	21.0	500
10508	5/16	x 4 1/2	1/2	11	40.0	800
10512	3/8	x 6	9/16	13	70.0	1,200
10514	1/2	x 3	3/4	11	90.0	2,200
10516	1/2	x 6	3/4	14	125.0	2,200
10520	1/2	x 9	3/4	17	152.0	2,200
10524	1/2	x 12	3/4	20	195.0	2,200
10526	5/8	x 3	7/8	12	145.0	3,500
10528	5/8	x 6	7/8	15	195.0	3,500
10532	5/8	x 9	7/8	18	245.0	3,500
10536	5/8	x 12	7/8	21	300.0	3,500
10540	3/4	x 6	1 1/16	16	320.0	5,200
10544	3/4	x 9	1 1/16	19	390.0	5,200
10548	3/4	x 12	1 1/16	22	440.0	5,200
10554	7/8	x 6	1 3/16	17	430.0	7,200
10556	7/8	x 12	1 3/16	23	570.0	7,200
10564	1	x 6	1 3/8	18	578.0	10,000
10568	1	x 12	1 3/8	24	804.0	10,000
10572	1	x 18	1 3/8	30	1020.0	10,000
10580	1-1/4	x 6	1 3/4	19	930.0	15,200
10584	1-1/2	x 6	2 1/8	20	1530.0	21,400

Safety factor 5 to 1.
ASTM F1145-92, Class C

Stub End Turnbuckles


- Forged
- 1030 Carbon Steel
- Self-Colored



Part No.	Size in Inches		Take-Up	Wt. Per 100 Pcs.
	Approx. Thread Dia.			
SS10512	3/8	x	6	70.0
SS10516	1/2	x	6	125.0
SS10528	5/8	x	6	195.0
SS10540	3/4	x	6	320.0

Stub End Turnbuckles


- Forged
- 304 Stainless Steel



Turnbuckles


Eye & Eye

- Forged
- 1030 Carbon Steel
- Self-Colored/Hot Galvanized




Eye & Eye

- Forged
- 304 Stainless Steel



Hook & Eye

- Forged
- 1030 Carbon Steel
- Self-Colored/Hot Galvanized



Size in Inches

Self-Colored Stock No.	Hot Galvanized Stock No.	Import Hot Galvanized Stock No.	Size in Inches		Take Up	Average Overall Length Closed	Approx. Wt. Per 100 Pcs.
			Thread Dia.				
10004	10704	25000	1/4*	x	4	8 1/4	25.0
10008	10708	25005	5/16	x	4 1/2	9 1/16	44.0
10012	10712	25010	3/8	x	6	11 7/8	79.0
10016	10716	25015	1/2	x	6	13	151.0
10020	10720	-	1/2	x	9	17 1/2	181.0
10024	10724	25025	1/2	x	12	20 1/2	220.0
10028	10728	25030	5/8	x	6	16	250.0
10032	10732	25035	5/8	x	9	19 1/4	300.0
10036	10736	25040	5/8	x	12	21 3/4	360.0
10040	10740	25045	3/4	x	6	17 3/4	390.0
10044	10744	25050	3/4	x	9	20 3/4	460.0
10048	10748	25055	3/4	x	12	23 3/4	530.0
10064	10764	25080	1	x	6	21 1/4	750.0
10068	10768	25085	1	x	12	26 3/8	1000.0

Tapped threads are self-colored.

Galvanized is tapped oversize.

*1/4" size only electro-galvanized.

ASTM F1145-92, Class D

+ Import eyes are in an oval design.

Size in Inches

Part No.	Size in Inches		Take-Up	Approx. Wt. Per 100 Pcs.
	Thread Dia.			
SS10012	3/8	x	6	79.0
SS10016	1/2	x	6	151.0
SS10028	5/8	x	6	250.0
SS10040	3/4	x	6	390.0

Domestic Self-Colored Stock No.	Domestic Hot Galvanized Stock No.	Import Hot Galvanized Stock No.	Size in Inches		Take Up	Average Overall Length Closed	Approx. Wt. Per 100 Pcs.
			Thread Dia.				
10104	10804	25100	1/4*	x	4	8 1/4	25.0
10108	10808	25105	5/16	x	4 1/2	9 1/16	44.0
10112	10812	25110	3/8	x	6	11 7/8	79.0
10116	10816	25115	1/2	x	6	13	151.0
10120	10820	25120	1/2	x	9	17 1/2	181.0
10124	10824	25125	1/2	x	12	20 1/2	220.0
10128	10828	25130	5/8	x	6	16	250.0
10132	10832	25135	5/8	x	9	19 1/4	300.0
10136	10836	25140	5/8	x	12	21 3/4	360.0
10140	10840	25145	3/4	x	6	17 3/4	390.0
10144	10844	25150	3/4	x	9	20 3/4	460.0
10148	10848	25155	3/4	x	12	23 3/4	530.0
10152	10852	25160	3/4	x	18	29 3/4	720.0
-	-	25165	7/8	x	6	27 1/4	760.0
10156	10856	25170	7/8	x	12	27 1/4	760.0
10160	10860	25175	7/8	x	18	33 1/4	1060.0
10164	10864	25180	1	x	6	21 1/4	750.0
10168	10868	25185	1	x	12	26 3/8	1000.0
10172	10872	25190	1	x	18	32 1/2	1222.0

Galvanized is tapped oversize.

ASTM F1145-92, Class F

Turnbuckles

Domestic Self-Colored Stock No.	Domestic Hot Overall Galvanized Stock No.	Import Hot Galvanized Stock No.	Size in Inches		Length Closed	Wt. Per 100 Pcs.
			Approx. Thread Dia.	Average Take Up		
10204	10904	25200	1/4*	x	4	25.0
10208	10908	25205	5/16	x	4½	44.0
10212	10912	25210	3/8	x	6	79.0
10216	10916	25215	1/2	x	6	151.0
10220	10920	25220	1/2	x	9	181.0
10224	10924	25225	1/2	x	12	220.0
10228***	10928***	25230	5/8	x	6	250.0
10232***	10932***	25235	5/8	x	9	300.0
10236***	10936***	25240	5/8	x	12	360.0
10240***	10940***	25245	3/4	x	6	390.0
10244***	10944***	25250	3/4	x	9	460.0
10248***	10948***	25255	3/4	x	12	530.0
10252***	10952***	25260	3/4	x	18	720.0
-	-	25265	7/8	x	6	760.0
10256***	10956***	25270	7/8	x	12	760.0
10260***	10960***	25275	7/8	x	18	1060.0
10264***	10964***	25280	1	x	6	750.0
10268***	10968***	25285	1	x	12	1000.0
10272***	10972***	25290	1	x	18	1222.0

*1/4" size only electro-galvanized.

Tapped threads are self-colored.

Galvanized is tapped oversize.

ASTM F1145-92, Class E

***These products will be discontinued when stock is depleted.

Domestic Part No.	Import Part No.**	Size in Inches		Average Overall Length Closed	Approx. Wt. Per 100 Pcs.
		Thread Dia.	Take-Up		
11004	25300	1/4*	x	4	26.0
11008	25305	5/16	x	4½	45.0
11012	25310	3/8	x	6	78.0
11016	25315	1/2	x	6	151.0
11020	25320	1/2	x	9	179.0
11024	25325	1/2	x	12	220.0
11028	25330	5/8	x	6	253.0
11032	25335	5/8	x	9	299.0
11036	25340	5/8	x	12	368.0
11040	25345	3/4	x	6	414.0
11044	25350	3/4	x	9	458.0
11048	25355	3/4	x	12	532.0
-	25360	3/4	x	18	805.0
-	25365	7/8	x	6	805.0
-	25370	7/8	x	12	805.0
-	25375	7/8	x	18	805.0
11064	25380	1	x	6	805.0
-	25385	1	x	12	805.0
-	25390	1	x	18	805.0

*1/4" size only electro-galvanized.

Galvanized is tapped oversize.

Tapped threads are self-colored.


**These products use a hex head bolt with nut instead of a clevis bolt with pin.

Part No.	Thread Dia.	Take-Up	Average Overall Length Closed	Approx. Wt. Per 100 Pcs.
SS11012	3/8	x	6	78.0
SS11016	1/2	x	6	151.0
SS11028	5/8	x	6	253.0
SS11040	3/4	x	6	414.0

All stainless electropolished.


Hook & Hook

- Forged
- 1030 Carbon Steel
- Self-Colored/Hot Galvanized




Jaw & Eye

- Forged
- 1030 Carbon Steel
- Hot Galvanized



Jaw & Eye


- Forged
- 304 Stainless Steel



Turnbuckles

Jaw & Jaw

- Forged
- 1030 Carbon Steel
- Hot Galvanized



Part No.	Import Part No.**	Size in Inches			Average Overall Length Closed	Approx. Wt. Per 100 Pcs.
		Thread Dia.		Take-Up		
11104	25400	1/4*	x	4	8	28.0
11108	25405	5/16	x	4½	9	49.0
11112	25410	3/8	x	6	12	85.0
11116	25415	1/2	x	6	13	164.0
11120	25420	1/2	x	9	16	195.0
11124	25425	1/2	x	12	19	240.0
11128	25430	5/8	x	6	16	275.0
-	25435	5/8	x	9	16	275.0
11136	25440	5/8	x	12	22	400.0
11140	25445	3/4	x	6	17	450.0
11144	25450	3/4	x	9	20	498.0
11148	25455	3/4	x	12	23	578.0
11152	25460	3/4	x	18	29	760.0
-	25465	7/8	x	6	16	275.0
-	25470	7/8	x	12	16	275.0
-	25475	7/8	x	18	16	275.0
11164	25480	1	x	6	18	920.0
11168	25485	1	x	12	24	1210.0
11172	25490	1	x	18	36	1420.0


*1/4" size only electro-galvanized.

Galvanized is tapped oversize.

**These products use a hex head bolt with nut instead of a clevis bolt with pin.

Jaw & Jaw

- Forged
- 304 Stainless Steel



Part No.	Size in Inches			Approx. Wt. Per 100 Pcs.
	Thread Dia.		Take-Up	
SS11112	3/8	x	6	85.0
SS11116	1/2	x	6	164.0
SS11128	5/8	x	6	275.0
SS11140	3/4	x	6	450.0

All stainless electropolished.