


# Turnbuckle Fittings

Self- Colored Stock No.	Size in Inches		Thread	Stub Length S	Thread Length T	Approx. Wt. Per 100 Pcs.	Rated Capacity
	Thread Dia.-D	Take- Up					
10502	1/4	x 4	RH	4 1/2	2 1/2	5.0	500
10503	1/4	x 4	LH	4 1/2	2 1/2	5.0	500
10506	5/16	x 4 1/2	RH	5 1/4	2 3/4	10.0	800
10507	5/16	x 4 1/2	LH	5 1/4	2 3/4	10.0	800
10510	3/8	x 6	RH	6 1/2	3 5/8	19.0	1,200
10511	3/8	x 6	LH	6 1/2	3 5/8	19.0	1,200
10513	1/2	x 3	RH	5 1/2	2 3/8	30.0	2,200
10515	1/2	x 3	LH	5 1/2	2 3/8	30.0	2,200
10517	1/2	x 6	RH	7	3 3/4	35.0	2,200
10518	1/2	x 6	LH	7	3 3/4	35.0	2,200
10519	1/2	x 9	RH	8 1/2	5 1/4	41.0	2,200
10521	1/2	x 9	LH	8 1/2	5 1/4	41.0	2,200
10522	1/2	x 12	RH	10	6 3/4	46.0	2,200
10523	1/2	x 12	LH	10	6 3/4	46.0	2,200
10529	5/8	x 6	RH	7 1/2	4	55.0	3,500
10530	5/8	x 6	LH	7 1/2	4	55.0	3,500
10533	5/8	x 9	RH	9	5 5/8	69.0	3,500
10534	5/8	x 9	LH	9	5 5/8	69.0	3,500
10537	5/8	x 12	RH	10 1/2	7	78.0	3,500
10538	5/8	x 12	LH	10 1/2	7	78.0	3,500
10541	3/4	x 6	RH	8	4 1/8	90.0	5,200
10542	3/4	x 6	LH	8	4 1/8	90.0	5,200
10545	3/4	x 9	RH	9 1/4	5 5/8	102.0	5,200
10546	3/4	x 9	LH	9 1/4	5 5/8	102.0	5,200
10547	3/4	x 12	RH	10 3/4	7 1/8	115.0	5,200
10549	3/4	x 12	LH	10 3/4	7 1/8	115.0	5,200
10550	3/4	x 18	RH	13 3/4	10 1/8	148.0	5,200
10551	3/4	x 18	LH	13 3/4	10 1/8	148.0	5,200
10553	7/8	x 6	RH	8 1/2	4 3/8	135.0	7,200
10555	7/8	x 6	LH	8 1/2	4 3/8	135.0	7,200
10557	7/8	x 12	RH	11 1/4	7 1/2	149.0	7,200
10558	7/8	x 12	LH	11 1/4	7 1/2	149.0	7,200
10561	7/8	x 18	RH	14 1/4	10 3/8	210.0	7,200
10562	7/8	x 18	LH	14 1/4	10 3/8	210.0	7,200
10565	1	x 6	RH	9	4 1/2	180.0	10,000
10566	1	x 6	LH	9	4 1/2	180.0	10,000
10569	1	x 12	RH	11 1/2	7 1/2	223.0	10,000
10570	1	x 12	LH	11 1/2	7 1/2	223.0	10,000
10573	1	x 18	RH	14 1/2	10 1/2	275.0	10,000
10574	1	x 18	LH	14 1/2	10 1/2	275.0	10,000
10577	1-1/8	x 6	RH	9 1/4	4 3/4	240.0	12,400
10578	1-1/8	x 6	LH	9 1/4	4 3/4	240.0	12,400
10581	1-1/4	x 6	RH	9 1/2	5	303.0	15,200
10582	1-1/4	x 6	LH	9 1/2	5	303.0	15,200
10585	1-1/2	x 6	RH	9 1/2	5 1/2	470.0	21,400
10586	1-1/2	x 6	LH	9 1/2	5 1/2	470.0	21,400

## Stub Ends

- Forged
- 1030 Carbon Steel




Safety factor 5 to 1.

NOTE: Also available in stainless steel and HD galvanized. Call for quote.

# Turnbuckle Fittings

## Jaws

- Forged
- 1030 Carbon Steel



Hot Galvanized Stock No.	Size in Inches		B	C	D	E	F	Shank Length	Thread	Wt. Per 100 Pcs.	Approx. Rated Capacity
	Thread Dia.-A	Take-Up									
11105	1/4	x 4	1.12	.45	.90	.30	.63	3	RH	9.0	500
11106	1/4	x 4	1.12	.45	.90	.30	.63	3	LH	9.0	500
11109	5/16	x 4½	1.39	.50	1.00	.30	.69	3	RH	15.0	800
11110	5/16	x 4½	1.39	.50	1.00	.30	.69	3	LH	15.0	800
11113	3/8	x 6	1.49	.54	1.08	.36	.81	4	RH	26.0	1,200
11114	3/8	x 6	1.49	.54	1.08	.36	.81	4	LH	26.0	1,200
11117	1/2	x 6	1.81	.55	1.43	.42	1.00	4	RH	54.0	2,100
11118	1/2	x 6	1.81	.55	1.43	.42	1.00	4	LH	54.0	2,100
11121	1/2	x 9	1.81	.55	1.43	.42	1.00	6¼	RH	63.0	2,100
11122	1/2	x 9	1.81	.55	1.43	.42	1.00	6¼	LH	63.0	2,100
11125	1/2	x 12	1.81	.55	1.43	.42	1.00	7¾	RH	68.0	2,100
11126	1/2	x 12	1.81	.55	1.43	.42	1.00	7¾	LH	68.0	2,100
11129	5/8	x 6	2.35	.82	1.68	.55	1.31	5	RH	95.0	3,200
11130	5/8	x 6	2.35	.82	1.68	.55	1.31	5	LH	95.0	3,200
11133	5/8	x 9	2.35	.82	1.68	.55	1.31	6½	RH	109.0	3,200
11134	5/8	x 9	2.35	.82	1.68	.55	1.31	6½	LH	109.0	3,200
11137	5/8	x 12	2.35	.82	1.68	.55	1.31	8½	RH	128.0	3,200
11138	5/8	x 12	2.35	.82	1.68	.55	1.31	8½	LH	128.0	3,200
11141	3/4	x 6	2.80	1.03	1.97	.69	1.62	5½	RH	155.0	5,000
11142	3/4	x 6	2.80	1.03	1.97	.69	1.62	5½	LH	155.0	5,000
11145	3/4	x 9	2.80	1.03	1.97	.69	1.62	6½	RH	156.0	5,000
11146	3/4	x 9	2.80	1.03	1.97	.69	1.62	6½	LH	156.0	5,000
11149	3/4	x 12	2.80	1.03	1.97	.69	1.62	8½	RH	184.0	5,000
11150	3/4	x 12	2.80	1.03	1.97	.69	1.62	8½	LH	184.0	5,000
11153	3/4	x 18	2.80	1.03	1.97	.69	1.62	11½	RH	220.0	5,000
11154	3/4	x 18	2.80	1.03	1.97	.69	1.62	11½	LH	220.0	5,000
11157	7/8	x 12	3.23	1.23	2.43	.81	1.88	9	RH	302.0	7,000
11158	7/8	x 12	3.23	1.23	2.43	.81	1.88	9	LH	302.0	7,000
11161	7/8	x 18	3.23	1.23	2.43	.81	1.88	12	RH	329.0	7,000
11162	7/8	x 18	3.23	1.23	2.43	.81	1.88	12	LH	329.0	7,000
11165	1	x 6	3.73	1.31	2.63	.94	2.12	5½	RH	351.0	10,000
11166	1	x 6	3.73	1.31	2.63	.94	2.12	5½	LH	351.0	10,000
11169	1	x 12	3.73	1.31	2.63	.94	2.12	8½	RH	426.0	10,000
11170	1	x 12	3.73	1.31	2.63	.94	2.12	8½	LH	426.0	10,000
11173	1	x 18	3.73	1.31	2.63	.94	2.12	11¼	RH	475.0	10,000
11174	1	x 18	3.73	1.31	2.63	.94	2.12	11¼	LH	475.0	10,000

Safety factor 5 to 1.

NOTE: Also available in self-colored and stainless steel, call for quote.

### Other services provided by the Edward W. Daniel LLC include:

- Private label packaging
- Special forgings
- Special steel requirements
- Custom finishes
- Inventory management programs
- Modified sizes

# Turnbuckle Fittings


Self- Colored Stock No.***	Hot Galvanized Stock No.***	Size in Inches				B	C	D	Shank Length	Thread	Approx. Wt. Per 100 Pcs.	Rated Capacity
		Thread Dia.-A	Take- Up									
10205	10905	<b>1/4</b>	x 4	.25	.41	.45	3	RH	7.0	300		
10206	10906	<b>1/4</b>	x 4	.25	.41	.45	3	LH	7.0	300		
10209	10909	<b>5/16</b>	x 4½	.31	.50	.50	3	RH	12.0	500		
10210	10910	<b>5/16</b>	x 4½	.31	.50	.50	3	LH	12.0	500		
10213	10913	<b>3/8</b>	x 6	.38	.61	.56	4	RH	23.0	700		
10214	10914	<b>3/8</b>	x 6	.38	.61	.56	4	LH	23.0	700		
10217	10917	<b>1/2</b>	x 6	.50	.78	.66	4	RH	48.0	1,040		
10218	10918	<b>1/2</b>	x 6	.50	.78	.66	4	LH	48.0	1,040		
10221	10921	<b>1/2</b>	x 9	.50	.78	.66	6¼	RH	56.0	1,040		
10222	10922	<b>1/2</b>	x 9	.50	.78	.66	6¼	LH	56.0	1,040		
10225	10925	<b>1/2</b>	x 12	.50	.78	.66	7¾	RH	58.0	1,040		
10226	10926	<b>1/2</b>	x 12	.50	.78	.66	7¾	LH	58.0	1,040		
10229***	10929***	<b>5/8</b>	x 6	.63	1	.90	5	RH	83.0	1,600		
10230***	10930***	<b>5/8</b>	x 6	.63	1	.90	5	LH	83.0	1,600		
10233***	10933***	<b>5/8</b>	x 9	.63	1	.90	6½	RH	96.0	1,600		
10234***	10934***	<b>5/8</b>	x 9	.63	1	.90	6½	LH	96.0	1,600		
10237***	10937***	<b>5/8</b>	x 12	.63	1	.84	8½	RH	108.0	1,600		
10238***	10938***	<b>5/8</b>	x 12	.63	1	.84	8½	LH	108.0	1,600		
10241***	10941***	<b>3/4</b>	x 6	.75	1.20	.98	5½	RH	125.0	2,000		
10242***	10942***	<b>3/4</b>	x 6	.75	1.20	.98	5½	LH	125.0	2,000		
10245***	10945***	<b>3/4</b>	x 9	.75	1.20	.98	6½	RH	137.0	2,000		
10246***	10946***	<b>3/4</b>	x 9	.75	1.20	.98	6½	LH	137.0	2,000		
10249***	10949***	<b>3/4</b>	x 12	.75	1.20	.98	8½	RH	160.0	2,000		
10250***	10950***	<b>3/4</b>	x 12	.75	1.20	.98	8½	LH	160.0	2,000		
10253***	10953***	<b>3/4</b>	x 18	.75	1.20	.98	11½	RH	200.0	2,000		
10254***	10954***	<b>3/4</b>	x 18	.75	1.20	.98	11½	LH	200.0	2,000		
10257***	10957***	<b>7/8</b>	x 12	.88	1.38	1.13	9	RH	244.0	2,400		
10258***	10958***	<b>7/8</b>	x 12	.88	1.38	1.13	9	LH	244.0	2,400		
10261***	10961***	<b>7/8</b>	x 18	.88	1.38	1.13	12	RH	286.0	2,400		
10262***	10962***	<b>7/8</b>	x 18	.88	1.38	1.13	12	LH	286.0	2,400		
10265***	10965***	<b>1</b>	x 6	1	1.53	1.25	5½	RH	266.0	2,900		
10266***	10966***	<b>1</b>	x 6	1	1.53	1.25	5½	LH	266.0	2,900		
10269***	10969***	<b>1</b>	x 12	1	1.53	1.25	8½	RH	321.0	2,900		
10270***	10970***	<b>1</b>	x 12	1	1.53	1.25	8½	LH	321.0	2,900		
10273***	10973***	<b>1</b>	x 18	1	1.53	1.25	11¼	RH	376.0	2,900		
10274***	10974***	<b>1</b>	x 18	1	1.53	1.25	11¼	LH	376.0	2,900		

Safety factor 5 to 1.

\*\*\*These sizes will be discontinued when stock is depleted.

## Hooks

- Forged
- 1030 Carbon Steel




### Other services provided by the Edward W. Daniel LLC include:

- Private label packaging
- Special forgings
- Special steel requirements
- Custom finishes
- Inventory management programs
- Modified sizes

# Turnbuckle Fittings

## Round Eyes

- Forged
- 1030 Carbon Steel




Self- Colored Stock No.	Hot Galvanized Stock No.	Size in Inches			B	C	Shank Length	Thread	Approx. Wt. Per 100 Pcs.	Rated Capacity
		Thread Dia.-A	Take- Up							
10005	10705	1/4	x 4	1/2	1/4	3	RH	7.0	500	
10006	10706	1/4	x 4	1/2	1/4	3	LH	7.0	500	
10009	10709	5/16	x 4 1/2	5/8	5/16	3	RH	12.0	800	
10010	10710	5/16	x 4 1/2	5/8	5/16	3	LH	12.0	800	
10013	10713	3/8	x 6	3/4	3/8	4	RH	23.0	1,200	
10014	10714	3/8	x 6	3/4	3/8	4	LH	23.0	1,200	
10017	10717	1/2	x 6	1	7/16	4	RH	48.0	2,100	
10018	10718	1/2	x 6	1	7/16	4	LH	48.0	2,100	
10021	10721	1/2	x 9	1	7/16	6 1/4	RH	56.0	2,100	
10022	10722	1/2	x 9	1	7/16	6 1/4	LH	56.0	2,100	
10025	10725	1/2	x 12	1	7/16	7 3/4	RH	58.0	2,100	
10026	10726	1/2	x 12	1	7/16	7 3/4	LH	58.0	2,100	
10029	10729	5/8	x 6	1 3/8	9/16	5	RH	83.0	3,200	
10030	10730	5/8	x 6	1 3/8	9/16	5	LH	83.0	3,200	
10033	10733	5/8	x 9	1 3/8	9/16	6 5/8	RH	96.0	3,200	
10034	10734	5/8	x 9	1 3/8	9/16	6 5/8	LH	96.0	3,200	
10037	10737	5/8	x 12	1 3/8	9/16	8	RH	108.0	3,200	
10038	10738	5/8	x 12	1 3/8	9/16	8	LH	108.0	3,200	
10041	10741	3/4	x 6	1 1/2	2 1/32	5 1/8	RH	125.0	5,000	
10042	10742	3/4	x 6	1 1/2	2 1/32	5 1/8	LH	125.0	5,000	
10045	10745	3/4	x 9	1 1/2	2 1/32	6 5/8	RH	137.0	5,000	
10046	10746	3/4	x 9	1 1/2	2 1/32	6 5/8	LH	137.0	5,000	
10049	10749	3/4	x 12	1 1/2	2 1/32	8	RH	160.0	5,000	
10050	10750	3/4	x 12	1 1/2	2 1/32	8	LH	160.0	5,000	
10057	-	7/8	x 12	1 11/16	3/4	9	RH	244.0	7,000	
10058	-	7/8	x 12	1 11/16	3/4	9	LH	244.0	7,000	
10061	10761	7/8	x 18	1 11/16	3/4	12	RH	286.0	7,000	
10062	10762	7/8	x 18	1 11/16	3/4	12	LH	286.0	7,000	
10065	10765	1	x 6	1 13/16	7/8	5 5/8	RH	266.0	10,000	
10066	10766	1	x 6	1 13/16	7/8	5 5/8	LH	266.0	10,000	
10069	10769	1	x 12	1 13/16	7/8	8 1/2	RH	321.0	10,000	
10070	10770	1	x 12	1 13/16	7/8	8 1/2	LH	321.0	10,000	

Safety factor 5 to 1.

NOTE: Also available in stainless steel. Call for quote.

## Oval Eyes

- Forged
- 1030 Carbon Steel



Hot Galvanized Stock No.	Size in Inches			B	C	Shank Length	Thread	Wt. Per 100 Pcs.	Approx. Rated Capacity
	Thread Dia.-A	Take- Up							
11705***	1/4	x 4	25/32	7/32	3	RH	7.0	500	
11706***	1/4	x 4	25/32	7/32	3	LH	7.0	500	
11710***	5/16	x 4	5/8	5/16	3	LH	12.0	800	
11713***	3/8	x 6	1 1/8	3/8	4	RH	23.0	1,200	
11714***	3/8	x 6	1 1/8	3/8	4	LH	23.0	1,200	
11725***	3/8	x 12	1	7/16	7	RH	58.0	2,100	
11730***	5/8	x 6	1 3/8	9/16	5	LH	83.0	3,200	
11734***	5/8	x 9	1 3/8	9/16	6 5/8	LH	96.0	3,200	
11737***	5/8	x 12	1 3/8	9/16	8	RH	108.0	3,200	
11738***	5/8	x 12	1 3/8	9/16	8	LH	108.0	3,200	
11746***	3/4	x 9	1	2 1/32	6 5/8	LH	137.0	5,000	
11754***	3/4	x 12	1	2 1/32	8	LH	160.0	5,000	
11758***	7/8	x 12	1 11/16	3/4	9	LH	244.0	7,000	
11765***	1	x 6	1 13/16	7/8	5 5/8	RH	266.0	10,000	
11766***	1	x 6	1 13/16	7/8	5 5/8	LH	266.0	10,000	
11769***	1	x 12	1 13/16	7/8	8	RH	321.0	10,000	
11770***	1	x 12	1 13/16	7/8	8	LH	321.0	10,000	

\*\*\*These products will be discontinued when stock is depleted.